



## Issue 1 (published March 2010)

- Martin Pickford, Ellen R. Miller, and Ahmed N. El-Barkooky**  
Suidae and Sanitheriidae from Wadi Moghra, early Miocene, Egypt ..... 1–11
- Olivier Chavasseau, Yaowalak Chaimanee, Pauline Coster, Edouard-Georges Emonet, Aung Naing Soe, Aung Aung Kyaw, Aye Maung, Mana Rugbumrung, Hla Shwe, and Jean-Jacques Jaeger**  
First record of a chalicothere from the Miocene of Myanmar ..... 13–22
- Vanesa L. De Pietri, Jean-Pierre Berger, Claudius Pirkenseer, Laureline Scherler, and Gerald Mayr**  
New skeleton from the early Oligocene of Germany indicates a stem-group position of diomedeoidid birds. .... 23–34
- Roger B.J. Benson and Jonathan D. Radley**  
A new large-bodied theropod dinosaur from the Middle Jurassic of Warwickshire, United Kingdom ..... 35–42
- Alain Dubois, Stéphane Grosjean, and Jean-Claude Paicheler**  
Strange tadpoles from the lower Miocene of Turkey: Is paedogenesis possible in anurans? ..... 43–55
- Sebastian Voigt and Michael Ganzewski**  
Toward the origin of amniotes: Diadectomorph and synapsid footprints from the early Late Carboniferous of Germany ..... 57–72
- Andrzej Kaim, Maria Aleksandra Bitner, Robert G. Jenkins, and Yoshinori Hikida**  
A monospecific assemblage of terebratulide brachiopods in the Upper Cretaceous seep deposits of Omagari, Hokkaido, Japan ..... 73–84
- Horacio Parent, Andrés F. Greco, and Matías Bejas**  
Size-shape relationships in the Mesozoic planispiral ammonites ..... 85–98
- Luis Moliner and Federico Olóriz**  
New Lower Kimmeridgian ataxioceratin ammonite from the eastern Iberian Chain, Spain: Systematic, biogeographic and biostratigraphic relevance. .... 99–110
- Sylvain Charbonnier, Jean Vannier, Pierre Hantzpergue, and Christian Gaillard**  
Ecological significance of the arthropod fauna from the Jurassic (Callovian) La Voulte Lagerstätte ..... 111–132
- Wiesław Krzemiński, Ewa Krzemińska, and Dariusz Wojciechowski**  
Silurian synziphosurine horseshoe crab *Pasternakevia* revisited ..... 133–139
- Simon Conway Morris and John S. Peel**  
New palaeoscolecoid worms from the Lower Cambrian: Sirius Passet, Latham Shale and Kinzers Shale ..... 141–156
- Christian Pott, Stephen McLoughlin, and Anna Lindström**  
Late Palaeozoic foliage from China displays affinities to Cycadales rather than to Bennettitales necessitating a re-evaluation of the Palaeozoic *Pterophyllum* species ..... 157–168
- Brief report**
- Agnieszka Ciurej**  
Procedures for obtaining optimal SEM images of coccolithophore debris in coccolith limestones ..... 169–171
- Discussions**
- Mariusz A. Salamon, Przemysław Gorzelak, and Michał Zatoń**  
Comment on “Palaeoenvironmental control on distribution of crinoids in the Bathonian (Middle Jurassic) of England and France” by Aaron W. Hunter and Charlie J. Underwood ..... 172–173
- Aaron W. Hunter and Charlie J. Underwood**  
Comment and reply on “Palaeoenvironmental control on distribution of crinoids in the Bathonian (Middle Jurassic) of England and France” by Aaron W. Hunter and Charlie J. Underwood. .... 174–176
- In memoriam: Zygmunt Bocheński (1935–2009)** ..... 56

**Issue 2** (published May 2010)

- Israel M. Sánchez, Victoria Quiralte, Jorge Morales, and Martin Pickford**  
A new genus of tragulid ruminant from the early Miocene of Kenya . . . . . 177–187
- Thomas Mörs and Clara Stefen**  
The castorid *Steneofiber* from NW Germany and its implications for the taxonomy of Miocene beavers . . . . . 189–198
- Stephen G.B. Chester, Eric J. Sargis, Frederick S. Szalay, J. David Archibald, and Alexander O. Averianov**  
Mammalian distal humeri from the Late Cretaceous of Uzbekistan . . . . . 199–211
- Shoji Hayashi, Kenneth Carpenter, Torsten M. Scheyer, Mahito Watabe, and Daisuke Suzuki**  
Function and evolution of ankylosaur dermal armor . . . . . 213–228
- Emma L. Bernard, Marcello Ruta, James E. Tarver, and Michael J. Benton**  
The fossil record of early tetrapods: Worker effort and the end-Permian mass extinction . . . . . 229–239
- Jan Fischer, Jörg W. Schneider, and Ausonio Ronchi**  
New hybondontoid shark from the Permocarboniferous (Gzhelian–Asselian) of Guardia Pisano (Sardinia, Italy) . . . . . 241–264
- Jaime Ortega-Blanco, Alexander P. Rasnitsyn, and Xavier Delclòs**  
A new family of ceraphronoid wasps from Early Cretaceous Álava Amber, Spain . . . . . 265–276
- Diego A. Kietzmann, Joachim Blau, Diana E. Fernández, and Ricardo M. Palma**  
Crustacean microcoprolites from the Upper Jurassic–Lower Cretaceous of the Neuquén Basin, Argentina: Systematics and biostratigraphic implications . . . . . 277–284
- Jaime Reyes-Abril, Enrique Villas, and Juan Carlos Gutiérrez-Marco**  
Orthid brachiopods from the Middle Ordovician of the Central Iberian Zone, Spain . . . . . 285–308
- Olle Hints and Mats E. Eriksson**  
Ordovician polychaetoid polychaetes: Taxonomy, distribution and palaeoecology . . . . . 309–320
- Artem Kouchinsky, Stefan Bengtson, and Duncan J.E. Murdock**  
A new tannuolinid problematic from the lower Cambrian of the Sukharikha River in northern Siberia . . . . . 321–331
- Jarosław Tyszka, Renata Jach, and Miroslav Bubík**  
A new vent-related foraminifer from the lower Toarcian black claystone of the Tatra Mountains, Poland . . . . . 333–342
- Natalya Boyarina**  
Late Gzhelian pteridosperms with callipterid foliage of the Donets Basin, Ukraine . . . . . 343–359
- Brief report**
- Rodrigo A. Otero, Sergio Soto-Acuña, and David Rubilar-Rogers**  
Presence of the elasmosaurid plesiosaur *Mauisaurus* in the Maastrichtian (Late Cretaceous) of central Chile . . . . . 361–364
- Book reviews**
- Loïc Costeur:** The new Miocene Samos faunas . . . . . 188
- Alexander Nützel:** The fauna of the Abrek Bay (Far East Russia): A new window to the aftermath of the end-Permian mass extinction event . . . . . 332

**Issue 3** (published September 2010)

- Annie S. Hsiou, Adriana M. Albino, and Jorge Ferigolo**  
Reappraisal of the south American Miocene snakes of the genus *Colombophis*, with description of a new species . . . . . 365–379
- Junchang Lü, Li Xu, Yongqing Liu, Xingliao Zhang, Songhai Jia, and Qiang Ji**  
A new troodontid theropod from the Late Cretaceous of central China, and the radiation of Asian troodontids . . . . . 381–388
- Ignacio A. Cerda and Jaime E. Powell**  
Dermal armor histology of *Saltasaurus loricatus*, an Upper Cretaceous sauropod dinosaur from Northwest Argentina . . . . . 389–398
- Alejandro Otero**  
The appendicular skeleton of *Neuquensaurus*, a Late Cretaceous saltasaurine sauropod from Patagonia, Argentina . . . . . 399–426

**Phil Senter**

- Evidence for a sauropod-like metacarpal configuration in stegosaurian dinosaurs . . . . . 427–432

**Heinrich Mallison**

- The digital *Plateosaurus* II: An assessment of the range of motion of the limbs and vertebral column and of previous reconstructions using a digital skeletal mount . . . . . 433–458

**Louise Zylberberg, François J. Meunier, and Michel Laurin**

- A microanatomical and histological study of the postcranial dermal skeleton in the Devonian sarcopterygian *Eusthenopteron foordi* . . . . . 459–470

**Manuel Rigo and Michael M. Joachimski**

- Palaeoecology of Late Triassic conodonts: Constraints from oxygen isotopes in biogenic apatite . . . . . 471–478

**Massimo Bernardi, Sergio Boschele, Paolo Ferretti, and Marco Avanzini**

- Echinoid burrow *Bichordites monastriensis* from the Oligocene of NE Italy . . . . . 479–486

**Samuel Zamora and Andrew B. Smith**

- The oldest isorophid edrioasteroid (Echinodermata) and the evolution of attachment strategies in Cambrian edrioasteroids. . . . . 487–494

**Shixue Hu, Zhifei Zhang, Lars E. Holmer, and Christian B. Skovsted**

- Soft-part preservation in a linguliform brachiopod from the lower Cambrian Wulongqing Formation (Guanshan Fauna) of Yunnan, southern China . . . . . 495–505

**Kristian P. Sæther, Crispin T.S. Little, and Kathleen A. Campbell**

- A new fossil provannid gastropod from Miocene hydrocarbon seep deposits, East Coast Basin, North Island, New Zealand . . . . . 507–517

**Sergey A. Belokobylskij, André Nel, Alain Waller, and Gael De Plöeg**

- New fossil non-cyclostome braconid wasps from the lowermost Eocene amber of Paris Basin . . . . . 519–527

**Michael A. Kaminski, Eiichi Setoyama, and Claudia G. Ceteau**

- The phanerozoic diversity of agglutinated foraminifera: Origination and extinction rates . . . . . 529–539

**Wojciech Majewski**

- Planktonic foraminiferal response to Middle Miocene cooling in the Southern Ocean (ODP Site 747, Kerguelen Plateau) . . . . . 541–560

**Brief report****Sérgio Dias-da-Silva and Andrew R. Milner**

- The pustulated temnospondyl revisited—a plagiosternine plagiosaurid from the Lower Triassic of Brazil . . . . . 561–563

**Book review**

- Vachik Hairapetian:** Feast for the odontologist . . . . . 380

**Issue 4** (published December 2010)**Gloria Cuenca-Bescós, Jordi Agustí, Jaime Lira, Maria Melero Rubio, and Juan Rofes**

- A new species of water vole from the early Pleistocene of Southern Europe . . . . . 565–580

**Yuong-Nam Lee and Louis L. Jacobs**

- The platanthomyine rodent *Neocometes* from the Miocene of South Korea and its paleobiogeographical implications . . . . . 581–586

**Shaokun Chen, Tao Deng, Sukuan Hou, Qinqin Shi, and Libo Pang**

- Sexual dimorphism in perissodactyl rhinocerotid *Chilotherium wimani* from the late Miocene of the Linxia Basin (Gansu, China) . . . . . 587–597

**Erik R. Seiffert**

- The oldest and youngest records of afrosericid placentals from the Fayum Depression of northern Egypt. . . . . 599–616

**Hai-Lu You, Jessie Atterholt, Jingmai K. O'Connor, Jerald D. Harris, Matthew C. Lamanna, and Da-Qing Li**

- A second Cretaceous ornithuromorph bird from the Changma Basin, Gansu Province, northwestern China . . . . . 617–625

**David W.E. Hone and Mahito Watabe**

- New information on scavenging and selective feeding behaviour of tyrannosaurids . . . . . 627–634

**Tetsuto Miyashita, Darren H. Tanke, and Philip J. Currie**

- Variation in premaxillary tooth count and a developmental abnormality in a tyrannosaurid dinosaur . . . . . 635–643

<b>Paula Muzzopappa and Laura Nicoli</b> A glimpse at the ontogeny of the fossil neobatrachian frog <i>Calyptocephalella canqueli</i> from the Deseadan (Oligocene) of Patagonia, Argentina .....	645–654
<b>Kerin M. Claeson, Maureen A. O’Leary, Eric M. Roberts, Famory Sissoko, Mamadou Bouaré, Leif Tapanila, David Goodwin, and Michael D. Gottfried</b> First Mesozoic record of the stingray <i>Myliobatis wurnoensis</i> from Mali and a phylogenetic analysis of Myliobatidae incorporating dental characters .....	655–674
<b>Catherine Girard, Ta Hoa Phuong, Norman Savage, and Sabrina Renaud</b> Temporal dynamics of the geographic differentiation of Late Devonian <i>Palmatolepis</i> assemblages in the Prototethys .....	675–687
<b>Andrzej Baliński and Sun Yuanlin</b> Tubular shell infestations in some Mississippian spirilophous brachiopods .....	689–694
<b>Andrzej Baliński</b> First colour-patterned strophomenide brachiopod from the earliest Devonian of Podolia, Ukraine .....	695–700
<b>Simon Schneider, Franz T. Fürsich, Tanja Schulz-Mirbach, and Winfried Werner</b> Ecophenotypic plasticity versus evolutionary trends—morphological variability in Upper Jurassic bivalve shells from Portugal .....	701–732
<b>Jordi M. De Gibert and Allan A. Ekdale</b> Paleobiology of the crustacean trace fossil <i>Spongliomorpha iberica</i> in the Miocene of southeastern Spain .....	733–740
<b>Roger E.L. Schallreuter and Ingelore C.U. Hinz-Schallreuter</b> Sexual dimorphism and pore systems in Ordovician ostracodes .....	741–760
<b>Brief reports</b>	
<b>Thierry Smith and Richard Smith</b> A new genus of “miacid” carnivoran from the earliest Eocene of Europe and North America .....	761–764
<b>Albrecht Manegold</b> Two swallow species from the early Pliocene of Langebaanweg (South Africa) .....	765–768
<b>Contents of Volume 55</b> .....	769–772