

Taxonomic notes on *Phoebodus heslerorum* and *Symmorium reniforme* (Chondrichthyes, Elasmobranchii)

Michał Ginter

Acta Palaeontologica Polonica 47 (3), 2002: 547-555

The revision of shark teeth from the Pennsylvanian black shales of central USA, ascribed to "*Phoebodus heslerorum*" Williams, 1985 and *Symmorium reniforme* Cope, 1893, shows that "Ph. heslerorum" is a junior synonym of "*Cladodus*" *divergens* Trautschold, 1879. This species belongs neither to *Phoebodus* nor to *Cladodus*, so a new genus *Heslerodus* is proposed. Very common, robust cladodont teeth with a deep labio-basal depression and two buttons, often referred to as S. reniforme, do not belong to the latter species, but to "*Cladodus*" *occidentalis* Leidy, 1859. The generic affinity of "C." occidentalis is yet undetermined, but it is possible that it represents ctenacanthoids.

Key words: Chondrichthyes, Palaeozoic, Carboniferous, teeth, taxonomy

Michał Ginter [fiszbit@geo.uw.edu.pl], Instytut Geologii Podstawowej, Uniwersytet Warszawski, Żwirki i Wigury 93, PL-02-089 Warszawa, Poland.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see <u>creativecommons.org</u>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

