

A new species of multituberculate mammal *Uzbekbaatar* from the Late Cretaceous of Uzbekistan

Alexander Averianov

Acta Palaeontologica Polonica 44 (3), 1999: 301-304

Multituberculates were dominant mammals in the Late Cretaceous communities of Central Asia (present-day Mongolia), but very rare in the Late Cretaceous faunal assemblages from western Asia (Uzbekistan), where ungulate-like mammals dominated (Nessov et al. 1998). So far only one Late Cretaceous multituberculate taxon *Uzbekbaatar kizylkumensis* Kielan-Jaworowska & Nessov, 1992 was known from Uzbekistan. Here I describe the second Late Cretaceous multituberculate from the same area, *Uzbekbaatar wardi* sp. n., based upon an isolated p4 from the ?Santonian Aitym Formation at Dzharakuduk, Central Kyzylkum Desert, Uzbekistan. It differs from the Coniacian *Uzbekbaatar kizylkumensis* by somewhat derived morphology (larger size, greater number of p4 ridges and serrations).

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

 [Full text \(139.0 kB\)](#)