

A new genus and species for the largest specimen of *Archaeopteryx*

Andrzej Elżanowski

Acta Palaeontologica Polonica 46 (4), 2001: 519-532

The Solnhofen (Sixth) specimen of *Archaeopteryx* is assigned to *Wellnhoferia grandis* gen. et sp. n. on the basis of qualitative, size-independent autapomorphies. *Wellnhoferia* differs from *Archaeopteryx* in a short tail with the estimated number of 16-17 caudals; a nearly symmetric pattern of pedal rays II-IV with metatarsals II and IV of equal length and digit IV substantially shorter than in *Archaeopteryx*; and the number of four (instead of five) phalanges of pedal digit IV, which most probably results from a phylogenetic reduction rather than individual variation. A combination of large size and details of the pelvic limb suggests a locomotor specialization different from that of *Archaeopteryx*.

Key words: *Archaeopteryx*, *Wellnhoferia*, birds, Aves, Jurassic, Solnhofen.

Andrzej Elżanowski [elzanowski@biol.uni.wroc.pl], Institute of Zoology, University of Wrocław, ul. Sienkiewicza 21, PL-50-335 Wrocław, Poland.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.